

## Ontario Bird Checklist

Ontario is divided into north and south regions at latitude 47 degrees North, thus, the cities of Sault Ste. Marie, Sudbury and North Bay are in the southern region of the province

N=North S = South \*=Breeding

### Anseriformes

	Sighted	Notes
<b>DUCKS, GEESE &amp; SWANS</b>		
<i>Black-bellied Whistling-Duck (S)</i>		
<i>Fulvous Whistling-Duck (S)</i>		
<i>Greater White-fronted Goose N/S</i>		
<i>*Snow Goose N/S</i>		
<i>*Ross's Goose N/S</i>		
<i>Brant N/S</i>		
<i>Cackling Goose N/S</i>		
<i>*Canada Goose N/S</i>		
<i>*Mute Swan (N)/S</i>		
<i>Trumpeter Swan S</i>		
<i>*Tundra Swan N/S</i>		
<i>*Wood Duck N/S</i>		
<i>*Gadwall N/S</i>		
<i>Eurasian Wigeon (N)/S</i>		
<i>*American Wigeon N/S</i>		
<i>*American Black Duck N/S</i>		
<i>*Mallard N/S</i>		
<i>*Blue-winged Teal N/S</i>		
<i>*Cinnamon Teal (N)/(S)</i>		
<i>*Northern Shoveler N/S</i>		
<i>*Northern Pintail N/S</i>		
<i>Garganey (N)/(S)</i>		
<i>*Green-winged Teal N/S</i>		
<i>*Canvasback N/S</i>		
<i>*Redhead N/S</i>		
<i>*Ring-necked Duck N/S</i>		

<i>Tufted Duck (N)/(S)</i>		
<i>*Greater Scaup N/S</i>		
<i>*Lesser Scaup N/S</i>		
<i>*King Eider N/S</i>		
<i>*Common Eider N/(S)</i>		
<i>Harlequin Duck (N)/S</i>		
<i>*Surf Scoter N/S</i>		
<i>*White-winged Scoter N/S</i>		
<i>Black Scoter N/S</i>		
<i>*Long-tailed Duck N/S</i>		
<i>*Bufflehead N/S</i>		
<i>*Common Goldeneye N/S</i>		
<i>Barrow's Goldeneye (N)/S</i>		
<i>Smew (S)</i>		
<i>*Hooded Merganser N/S</i>		
<i>*Common Merganser N/S</i>		
<i>*Red-breasted Merganser N/S</i>		
<i>*Ruddy Duck N/S</i>		
<b>Galliformes</b>		
<b>PARTRIDGES, GROUSE &amp; TURKEYS</b>		
<i>*Gray Partridge N/S</i>		
<i>*Ring-necked Pheasant N/S</i>		
<i>*Ruffed Grouse N/S</i>		
<i>*Spruce Grouse N/S</i>		
<i>*Willow Ptarmigan N/(S)</i>		
<i>Rock Ptarmigan N</i>		
<i>*Sharp-tailed Grouse N/S</i>		
<i>*Greater Prairie-Chicken (N)/(S)</i>		
<i>*Wild Turkey S</i>		
<b>NEW WORLD QUAIL</b>		
<i>*Northern Bobwhite S</i>		
<b>Gaviiformes</b>		
<b>LOONS</b>		

<i>*Red-throated Loon N/S</i>		
<i>*Pacific Loon N/(S)</i>		
<i>*Common Loon N/S</i>		
<i>Yellow-billed Loon (S)</i>		
<b>Podicipediformes</b>		
<b>GREBES</b>		
<i>*Pied-billed Grebe N/S</i>		
<i>*Horned Grebe N/S</i>		
<i>*Red-necked Grebe N/S</i>		
<i>*Eared Grebe (N)/S</i>		
<i>Western Grebe (N)/(S)</i>		
<b>Procellariiformes</b>		
<b>SHEARWATERS &amp; PETRELS</b>		
<i>Northern Fulmar (N)/(S)</i>		
<i>Black-capped Petrel (S)</i>		
<i>Greater Shearwater (S)</i>		
<i>Manx Shearwater (S)</i>		
<i>Audubon's Shearwater (S)</i>		
<b>STORM-PETRELS</b>		
<i>Wilson's Storm-Petrel (S)</i>		
<i>Leach's Storm-Petrel (N)/(S)</i>		
<i>Band-rumped Storm-Petrel (S)</i>		
<b>Pelecaniformes</b>		
<b>GANNETS</b>		
<i>Northern Gannet (N)/(S)</i>		
<b>PELICANS</b>		
<i>*American White Pelican N/S</i>		
<i>Brown Pelican (N)/(S)</i>		

<b>CORMORANTS</b>		
<i>Neotropic Cormorant (S)</i>		
<i>*Double-crested Cormorant N/S</i>		
<i>Great Cormorant (S)</i>		
<b>ANHINGAS</b>		
<i>Anhinga (S)</i>		
<b>FRIGATEBIRDS</b>		
<i>Magnificent Frigatebird (S)</i>		
<b>Ciconiiformes</b>		
<b>HERONS &amp; BITTERNES</b>		
<i>*American Bittern N/S</i>		
<i>*Least Bittern (N)/S</i>		
<i>*Great Blue Heron N/S</i>		
<i>*Great Egret (N)/S</i>		
<i>*Snowy Egret (N)/S</i>		
<i>Little Blue Heron (N)/(S)</i>		
<i>Tricolored Heron (N)/(S)</i>		
<i>*Cattle Egret (N)/S</i>		
<i>*Green Heron (N)/S</i>		
<i>*Black-crowned Night-Heron (N)/S</i>		
<i>Yellow-crowned Night-Heron (S)</i>		
<b>IBISES</b>		
<i>White Ibis (S)</i>		
<i>Glossy Ibis (S)</i>		
<i>White-faced Ibis (S)</i>		
<b>STORKS</b>		
<i>Wood Stork (S)</i>		

<b>VULTURES</b>		
<i>Black Vulture (N)/(S)</i>		
<i>*Turkey Vulture N/S</i>		
<b>Falconiformes</b>		
<b>HAWKS, KITES &amp; EAGLES</b>		
<i>*Osprey N/S</i>		
<i>Swallow-tailed Kite (N)/(S)</i>		
<i>Mississippi Kite (S)</i>		
<i>*Bald Eagle N/S</i>		
<i>*Northern Harrier N/S</i>		
<i>*Sharp-shinned Hawk N/S</i>		
<i>*Cooper's Hawk N/S</i>		
<i>*Northern Goshawk N/S</i>		
<i>*Red-shouldered Hawk N/S</i>		
<i>*Broad-winged Hawk N/S</i>		
<i>Swainson's Hawk (N)/(S)</i>		
<i>*Red-tailed Hawk N/S</i>		
<i>Ferruginous Hawk (S)</i>		
<i>*Rough-legged Hawk N/S</i>		
<i>*Golden Eagle N/S</i>		
<b>CARACARAS &amp; FALCONS</b>		
<i>Crested Caracara (N)/(S)</i>		
<i>*American Kestrel N/S</i>		
<i>*Merlin N/S</i>		
<i>Gyrfalcon N/S</i>		
<i>*Peregrine Falcon N/S</i>		
<i>Prairie Falcon (S)</i>		
<b>Gruiformes</b>		
<b>RAILS, GALLINULES &amp; COOTS</b>		
<i>*Yellow Rail N/S</i>		
<i>Black Rail (S)</i>		
<i>*King Rail S</i>		

<i>*Virginia Rail N/S</i>		
<i>*Sora N/S</i>		
<i>Purple Gallinule (N)/(S)</i>		
<i>*Common Moorhen (N)/S</i>		
<i>*American Coot N/S</i>		
<b>CRANES</b>		
<i>*Sandhill Crane N/S</i>		
<i>Whooping Crane (S)</i>		
<b>Charadriiformes</b>		
<b>PLOVERS</b>		
<i>Black-bellied Plover N/S</i>		
<i>*American Golden-Plover N/S</i>		
<i>Lesser Sand-Plover (S)</i>		
<i>Snowy Plover (S)</i>		
<i>Wilson's Plover (S)</i>		
<i>*Semipalmated Plover N/S</i>		
<i>*Piping Plover (N)/(S)</i>		
<i>*Killdeer N/S</i>		
<b>OYSTERCATCHERS</b>		
<i>American Oystercatcher (S)</i>		
<b>STILTS &amp; AVOCETS</b>		
<i>*Black-necked Stilt (N)/(S)</i>		
<i>*American Avocet (N)/S</i>		
<b>SANDPIPERS &amp; PHALAROPES</b>		
<i>*Spotted Sandpiper N/S</i>		
<i>*Solitary Sandpiper N/S</i>		
<i>Wandering Tattler (S)</i>		
<i>Spotted Redshank (S)</i>		
<i>*Greater Yellowlegs N/S</i>		

<i>Willet (N)/S</i>		
<i>*Lesser Yellowlegs N/S</i>		
<i>*Upland Sandpiper N/S</i>		
<i>Eskimo Curlew (N)/(S)</i>		
<i>*Whimbrel N/S</i>		
<i>Slender-billed Curlew (S)</i>		
<i>Long-billed Curlew (S)</i>		
<i>Black-tailed Godwit (S)</i>		
<i>*Hudsonian Godwit N/S</i>		
<i>*Marbled Godwit N/S</i>		
<i>Ruddy Turnstone N/S</i>		
<i>Red Knot N/S</i>		
<i>Sanderling N/S</i>		
<i>*Semipalmated Sandpiper N/S</i>		
<i>Western Sandpiper (N)/S</i>		
<i>Little Stint (N)/(S)</i>		
<i>*Least Sandpiper N/S</i>		
<i>White-rumped Sandpiper N/S</i>		
<i>Baird's Sandpiper N/S</i>		
<i>*Pectoral Sandpiper N/S</i>		
<i>Sharp-tailed Sandpiper (N)/(S)</i>		
<i>Purple Sandpiper N/S</i>		
<i>*Dunlin N/S</i>		
<i>Curlew Sandpiper (N)/(S)</i>		
<i>*Stilt Sandpiper N/S</i>		
<i>Buff-breasted Sandpiper N/S</i>		
<i>Ruff (N)/S</i>		
<i>*Short-billed Dowitcher N/S</i>		
<i>Long-billed Dowitcher N/S</i>		
<i>*Wilson's Snipe N/S</i>		
<i>*American Woodcock N/S</i>		
<i>*Wilson's Phalarope N/S</i>		
<i>*Red-necked Phalarope N/S</i>		
<i>Red Phalarope N/S</i>		
<b>GULLS, TERNS &amp; SKIMMERS</b>		
<i>Laughing Gull (N)/S</i>		
<i>Franklin's Gull N/S</i>		

<i>*Little Gull N/S</i>		
<i>Black-headed Gull (N)/S</i>		
<i>*Bonaparte's Gull N/S</i>		
<i>Heermann's Gull (S)</i>		
<i>Mew Gull (S)</i>		
<i>*Ring-billed Gull N/S</i>		
<i>*California Gull (N)/(S)</i>		
<i>*Herring Gull N/S</i>		
<i>Thayer's Gull N/S</i>		
<i>Iceland Gull N/S</i>		
<i>Lesser Black-backed Gull (N)/S</i>		
<i>Slaty-backed Gull (S)</i>		
<i>Glaucous Gull N/S</i>		
<i>*Great Black-backed Gull N/S</i>		
<i>Sabine's Gull N/S</i>		
<i>Black-legged Kittiwake (N)/S</i>		
<i>Ross's Gull (N)/(S)</i>		
<i>Ivory Gull (N)/(S)</i>		
<i>Sooty Tern (S)</i>		
<i>Least Tern (S)</i>		
<i>*Caspian Tern N/S</i>		
<i>*Black Tern N/S</i>		
<i>White-winged Tern (S)</i>		
<i>*Common Tern N/S</i>		
<i>*Arctic Tern N/(S)</i>		
<i>*Forster's Tern N/S</i>		
<i>Royal Tern (S)</i>		
<i>Sandwich Tern (S)</i>		
<i>Black Skimmer (N)/(S)</i>		
<b>SKUAS</b>		
<i>Pomarine Jaeger (N)/S</i>		
<i>*Parasitic Jaeger N/S</i>		
<i>Long-tailed Jaeger N/S</i>		
<b>AUKS, MURRES &amp; PUFFINS</b>		
<i>Dovekie (S)</i>		

<i>Thick-billed Murre (S)</i>		
<i>Razorbill (S)</i>		
<i>*Black Guillemot N/(S)</i>		
<i>Long-billed Murrelet (S)</i>		
<i>Ancient Murrelet (S)</i>		
<i>Atlantic Puffin (N)/(S)</i>		
<b>Columbiformes</b>		
<b>PIGEONS &amp; DOVES</b>		
<i>*Rock Pigeon N/S</i>		
<i>Band-tailed Pigeon (N)/(S)</i>		
<i>Eurasian Collared-Dove (S)</i>		
<i>White-winged Dove (N)/(S)</i>		
<i>*Mourning Dove N/S</i>		
<i>*Passenger Pigeon (Extinct)</i>		
<i>Inca Dove (N)</i>		
<i>Common Ground-Dove (N)</i>		
<b>Cuculiformes</b>		
<b>CUCKOOS &amp; ANIS</b>		
<i>*Yellow-billed Cuckoo N/S</i>		
<i>*Black-billed Cuckoo N/S</i>		
<i>Groove-billed Ani (N)/(S)</i>		
<b>Strigiformes</b>		
<b>BARN OWLS</b>		
<i>*Barn Owl (N)/(S)</i>		
<b>TYPICAL OWLS</b>		
<i>*Eastern Screech-Owl (N)/S</i>		
<i>*Great Horned Owl N/S</i>		
<i>Snowy Owl N/S</i>		
<i>*Northern Hawk Owl N/S</i>		
<i>Burrowing Owl (N)/(S)</i>		

<i>*Barred Owl N/S</i>		
<i>*Great Gray Owl N/S</i>		
<i>*Long-eared Owl N/S</i>		
<i>*Short-eared Owl N/S</i>		
<i>*Boreal Owl N/S</i>		
<i>*Northern Saw-whet Owl N/S</i>		
<b>Caprimulgiformes</b>		
<b>GOATSUCKERS</b>		
<i>Lesser Nighthawk (S)</i>		
<i>*Common Nighthawk N/S</i>		
<i>Common Poorwill (N)</i>		
<i>*Chuck-will's-widow (S)</i>		
<i>*Whip-poor-will N/S</i>		
<b>Apodiformes</b>		
<b>SWIFTS</b>		
<i>White-collared Swift (S)</i>		
<i>*Chimney Swift N/S</i>		
<b>HUMMINGBIRDS</b>		
<i>Green Violet-ear (N)</i>		
<i>Broad-billed Hummingbird (S)</i>		
<i>*Ruby-throated Hummingbird N/S</i>		
<i>Black-chinned Hummingbird (S)</i>		
<i>Rufous Hummingbird (N)/(S)</i>		
<b>Coraciiformes</b>		
<b>KINGFISHERS</b>		
<i>*Belted Kingfisher N/S</i>		
<b>Piciformes</b>		
<b>WOODPECKERS</b>		

<i>Lewis's Woodpecker (N)/(S)</i>		
<i>*Red-headed Woodpecker N/S</i>		
<i>*Red-bellied Woodpecker N/S</i>		
<i>*Yellow-bellied Sapsucker N/S</i>		
<i>*Downy Woodpecker N/S</i>		
<i>*Hairy Woodpecker N/S</i>		
<i>*American Three-toed Woodpecker N/S</i>		
<i>*Black-backed Woodpecker N/S</i>		
<i>*Northern Flicker N/S</i>		
<i>*Pileated Woodpecker N/S</i>		
<b>Passeriformes</b>		
<b>TYRANT FLYCATCHERS</b>		
<i>*Olive-sided Flycatcher N/S</i>		
<i>Western Wood-Pewee (N)</i>		
<i>*Eastern Wood-Pewee N/S</i>		
<i>*Yellow-bellied Flycatcher N/S</i>		
<i>*Acadian Flycatcher S</i>		
<i>*Alder Flycatcher N/S</i>		
<i>*Willow Flycatcher (N)/S</i>		
<i>*Least Flycatcher N/S</i>		
<i>Gray Flycatcher (S)</i>		
<i>Dusky Flycatcher (N)</i>		
<i>*Eastern Phoebe N/S</i>		
<i>Say's Phoebe (N)/(S)</i>		
<i>Vermilion Flycatcher (S)</i>		
<i>Ash-throated Flycatcher (S)</i>		
<i>*Great Crested Flycatcher N/S</i>		
<i>Sulphur-bellied Flycatcher (S)</i>		
<i>Variegated Flycatcher (S)</i>		
<i>Tropical Kingbird (S)</i>		
<i>Cassin's Kingbird (S)</i>		
<i>*Western Kingbird N/S</i>		
<i>*Eastern Kingbird N/S</i>		
<i>Gray Kingbird (S)</i>		
<i>Scissor-tailed Flycatcher (N)/(S)</i>		
<i>Fork-tailed Flycatcher (N)/(S)</i>		

<b>SHRIKES</b>		
<i>*Loggerhead Shrike (N)/S</i>		
<i>*Northern Shrike N/S</i>		
<b>VIREOS</b>		
<i>*White-eyed Vireo (N)/S</i>		
<i>Bell's Vireo (S)</i>		
<i>Black-capped Vireo (S)</i>		
<i>*Yellow-throated Vireo N/S</i>		
<i>Plumbeous Vireo (S)</i>		
<i>*Blue-headed Vireo N/S</i>		
<i>*Warbling Vireo N/S</i>		
<i>*Philadelphia Vireo N/S</i>		
<i>*Red-eyed Vireo N/S</i>		
<b>CROWS &amp; JAYS</b>		
<i>*Gray Jay N/S</i>		
<i>*Blue Jay N/S</i>		
<i>Clark's Nutcracker (N)</i>		
<i>*Black-billed Magpie N/(S)</i>		
<i>Eurasian Jackdaw (S)</i>		
<i>*American Crow N/S</i>		
<i>Fish Crow (S)</i>		
<i>*Common Raven N/S</i>		
<b>LARKS</b>		
<i>*Horned Lark N/S</i>		
<b>SWALLOWS</b>		
<i>*Purple Martin N/S</i>		
<i>*Tree Swallow N/S</i>		
<i>Violet-green Swallow (N)</i>		
<i>*Northern Rough-winged Swallow N/S</i>		

<i>*Bank Swallow N/S</i>		
<i>*Cliff Swallow N/S</i>		
<i>Cave Swallow (S)</i>		
<i>*Barn Swallow N/S</i>		
<b>CHICKADEES &amp; TITMICE</b>		
<i>Carolina Chickadee (S)</i>		
<i>*Black-capped Chickadee N/S</i>		
<i>*Boreal Chickadee N/S</i>		
<i>*Tufted Titmouse S</i>		
<b>NUTHATCHES</b>		
<i>*Red-breasted Nuthatch N/S</i>		
<i>*White-breasted Nuthatch N/S</i>		
<b>CREEPERS</b>		
<i>*Brown Creeper N/S</i>		
<b>WRENS</b>		
<i>Rock Wren (N)/(S)</i>		
<i>*Carolina Wren (N)/S</i>		
<i>*Bewick's Wren (N)/(S)</i>		
<i>*House Wren N/S</i>		
<i>*Winter Wren N/S</i>		
<i>*Sedge Wren N/S</i>		
<i>*Marsh Wren N/S</i>		
<b>KINGLETS</b>		
<i>*Golden-crowned Kinglet N/S</i>		
<i>*Ruby-crowned Kinglet N/S</i>		
<b>GNATCATCHERS</b>		
<i>*Blue-gray Gnatcatcher (N)/S</i>		

<b>THRUSHES</b>		
<i>Siberian Rubythroat (S)</i>		
<i>Northern Wheatear (N)/(S)</i>		
<i>*Eastern Bluebird N/S</i>		
<i>Mountain Bluebird (N)/(S)</i>		
<i>Townsend's Solitaire N/(S)</i>		
<i>*Veery N/S</i>		
<i>*Gray-cheeked Thrush N/S</i>		
<i>Bicknell's Thrush (S)</i>		
<i>*Swainson's Thrush N/S</i>		
<i>*Hermit Thrush N/S</i>		
<i>*Wood Thrush N/S</i>		
<i>Eurasian Blackbird (S)</i>		
<i>Fieldfare (S)</i>		
<i>*American Robin N/S</i>		
<i>Varied Thrush N/S</i>		
<b>MOCKINGBIRDS &amp; THRASHERS</b>		
<i>*Gray Catbird N/S</i>		
<i>*Northern Mockingbird N/S</i>		
<i>Sage Thrasher (N)/(S)</i>		
<i>*Brown Thrasher N/S</i>		
<b>STARLINGS</b>		
<i>*European Starling N/S</i>		
<b>PIPITS</b>		
<i>*American Pipit N/S</i>		
<i>Sprague's Pipit (N)</i>		
<b>WAXWINGS</b>		
<i>*Bohemian Waxwing N/S</i>		
<i>*Cedar Waxwing N/S</i>		

<b>SILKY-FLYCATCHERS</b>		
<i>Phainopepla (S)</i>		
<b>WOOD-WARBLERS</b>		
<i>*Blue-winged Warbler (N)/S</i>		
<i>*Golden-winged Warbler N/S</i>		
<i>*Tennessee Warbler N/S</i>		
<i>*Orange-crowned Warbler N/S</i>		
<i>*Nashville Warbler N/S</i>		
<i>Virginia's Warbler (N)/(S)</i>		
<i>*Northern Parula N/S</i>		
<i>*Yellow Warbler N/S</i>		
<i>*Chestnut-sided Warbler N/S</i>		
<i>*Magnolia Warbler N/S</i>		
<i>*Cape May Warbler N/S</i>		
<i>*Black-throated Blue Warbler N/S</i>		
<i>*Yellow-rumped Warbler N/S</i>		
<i>Black-throated Gray Warbler (S)</i>		
<i>*Black-throated Green Warbler N/S</i>		
<i>Townsend's Warbler (S)</i>		
<i>Hermit Warbler (S)</i>		
<i>*Blackburnian Warbler N/S</i>		
<i>Yellow-throated Warbler (N)/S</i>		
<i>*Pine Warbler N/S</i>		
<i>*Kirtland's Warbler (N)/(S)</i>		
<i>*Prairie Warbler (N)/S</i>		
<i>*Palm Warbler N/S</i>		
<i>*Bay-breasted Warbler N/S</i>		
<i>*Blackpoll Warbler N/S</i>		
<i>*Cerulean Warbler S</i>		
<i>*Black-and-white Warbler N/S</i>		
<i>*American Redstart N/S</i>		
<i>*Prothonotary Warbler (N)/S</i>		
<i>Worm-eating Warbler S</i>		
<i>Swainson's Warbler (S)</i>		
<i>*Ovenbird N/S</i>		

<i>*Northern Waterthrush N/S</i>		
<i>*Louisiana Waterthrush S</i>		
<i>Kentucky Warbler (N)/S</i>		
<i>*Connecticut Warbler N/S</i>		
<i>*Mourning Warbler N/S</i>		
<i>MacGillivray's Warbler (S)</i>		
<i>*Common Yellowthroat N/S</i>		
<i>*Hooded Warbler (N)/S</i>		
<i>*Wilson's Warbler N/S</i>		
<i>*Canada Warbler N/S</i>		
<i>Painted Redstart (S)</i>		
<i>*Yellow-breasted Chat (N)/S</i>		
<b>TANAGERS</b>		
<i>Summer Tanager (N)/S</i>		
<i>*Scarlet Tanager N/S</i>		
<i>Western Tanager (N)/(S)</i>		
<b>EMBERIZIDS</b>		
<i>Green-tailed Towhee (S)</i>		
<i>Spotted Towhee (N)/(S)</i>		
<i>*Eastern Towhee (N)/S</i>		
<i>Cassin's Sparrow (N)/(S)</i>		
<i>Bachman's Sparrow (S)</i>		
<i>*American Tree Sparrow N/S</i>		
<i>*Chipping Sparrow N/S</i>		
<i>*Clay-colored Sparrow N/S</i>		
<i>Brewer's Sparrow (N)</i>		
<i>*Field Sparrow (N)/S</i>		
<i>*Vesper Sparrow N/S</i>		
<i>*Lark Sparrow (N)/(S)</i>		
<i>Black-throated Sparrow (N)</i>		
<i>Lark Bunting (N)/(S)</i>		
<i>*Savannah Sparrow N/S</i>		
<i>*Grasshopper Sparrow (N)/S</i>		
<i>Baird's Sparrow (N)</i>		
<i>*Henslow's Sparrow (S)</i>		



<i>*Le Conte's Sparrow N/S</i>		
<i>*Nelson's Sharp-tailed Sparrow N/S</i>		
<i>*Fox Sparrow N/S</i>		
<i>*Song Sparrow N/S</i>		
<i>*Lincoln's Sparrow N/S</i>		
<i>*Swamp Sparrow N/S</i>		
<i>*White-throated Sparrow N/S</i>		
<i>*Harris's Sparrow N/S</i>		
<i>*White-crowned Sparrow N/S</i>		
<i>Golden-crowned Sparrow (N)/(S)</i>		
<i>*Dark-eyed Junco N/S</i>		
<i>McCown's Longspur (N)</i>		
<i>*Lapland Longspur N/S</i>		
<i>*Smith's Longspur N/(S)</i>		
<i>Chestnut-collared Longspur (N)/(S)</i>		
<i>*Snow Bunting N/S</i>		
<b>FINCHES</b>		
<i>Brambling (N)/(S)</i>		
<i>Gray-crowned Rosy-Finch (N)/(S)</i>		
<i>*Pine Grosbeak N/S</i>		
<i>*Purple Finch N/S</i>		
<i>Cassin's Finch (S)</i>		
<i>*House Finch N/S</i>		
<i>*Red Crossbill N/S</i>		
<i>*White-winged Crossbill N/S</i>		
<i>*Common Redpoll N/S</i>		
<i>Hoary Redpoll N/S</i>		
<i>*Pine Siskin N/S</i>		
<i>Lesser Goldfinch (S)</i>		
<i>*American Goldfinch N/S</i>		
<i>*Evening Grosbeak N/S</i>		
<b>OLD WORLD SPARROWS</b>		
<i>*House Sparrow N/S</i>		
<i>Eurasian Tree Sparrow (S)</i>		
<b>BLACKBIRDS</b>		
<i>*Bobolink N/S</i>		
<i>*Red-winged Blackbird N/S</i>		
<i>*Eastern Meadowlark N/S</i>		
<i>*Western Meadowlark N/S</i>		
<i>*Yellow-headed Blackbird N/S</i>		
<i>*Rusty Blackbird N/S</i>		
<i>*Brewer's Blackbird N/S</i>		
<i>*Common Grackle N/S</i>		

<i>Great-tailed Grackle (N)/(S)</i>		
<i>*Brown-headed Cowbird N/S</i>		
<i>*Orchard Oriole (N)/S</i>		
<i>Hooded Oriole (S)</i>		
<i>Bullock's Oriole (N)/(S)</i>		
<i>*Baltimore Oriole N/S</i>		
<i>Scott's Oriole (N)</i>		
<b>FINCHES</b>		
<i>Brambling (N)/(S)</i>		
<i>Gray-crowned Rosy-Finch (N)/(S)</i>		
<i>*Pine Grosbeak N/S</i>		
<i>*Purple Finch N/S</i>		
<i>Cassin's Finch (S)</i>		
<i>*House Finch N/S</i>		
<i>*Red Crossbill N/S</i>		
<i>*White-winged Crossbill N/S</i>		
<i>*Common Redpoll N/S</i>		
<i>Hoary Redpoll N/S</i>		
<i>*Pine Siskin N/S</i>		
<i>Lesser Goldfinch (S)</i>		
<i>*American Goldfinch N/S</i>		
<i>*Evening Grosbeak N/S</i>		
<b>OLD WORLD SPARROWS</b>		
<i>*House Sparrow N/S</i>		
<i>Eurasian Tree Sparrow (S)</i>		

This list comprises all of the 479 bird species that have been recorded in the Province of Ontario, on the basis of specimens, photographs, recordings and documented sight records accepted by the Ontario Bird Records Committee (OBRC) to March, 2006. A total of 289 species is known to have bred in the province. Classification and nomenclature follow the American Ornithologists' Union Check-list of North American Birds, 7th Edition, 1998, and its 42nd - 47th supplements. The most recent additions are: **Neotropic Cormorant** (2006), **McCown's Longspur** (2006), **Cackling Goose** (split from Canada Goose, July, 2004), **Brewer's Sparrow** (2004), **White-collared Swift** (2002), **Manx Shearwater** (2002) and **Heermann's Gull** (2000). The common name Mongolian Plover is now **Lesser Sand-Plover** (2004) to agree with modern Old World literature. The common name Rock Dove changed to **Rock Pigeon** (2003). The name Three-toed Woodpecker changed to **American Three-toed Woodpecker** (2003) as a result of a split from the Eurasian species. The name Common Snipe has been changed to **Wilson's Snipe** because of a split from the European species (2002). In 2005 and 2006, the order has been changed in the following list to reflect the AOU order.